This presentation should not be considered a final statement of NIOSH policy or of any agency or individual who was involved. This information is intended for use in advancing knowledge needed to protect workers. Comments regarding this presentation may be submitted to the NIOSH Docket Office.

Hazard Analysis

Respirator Canister Challenges





Sorbant / Media Based Classification of Challenge Agents

- Classification into Agent Families
- Test Representative Agent (TRA) required for each family of agents.
- Back up data with other agents within family are being generated.
- Biological and Radiological agents are addressed as particulates requiring mechanical P-100 media





Families / Test Representative Agents (TRA)

- Acid Gas / TRA = SO₂, H₂S, CNCL, COCl₂, HCN
- Base Gas / TRA = Ammonia
- Hydrocarbon / TRA = Carbon Tetrachloride or Cyclohexane
- **Hydrides / TRA = Phosphine**
- Isocyanate / TRA = ??
- Carbon Monoxide / TRA = Carbon Monoxide
- Nitrogen Oxide / $TRA = NO_2$
- Particulate / TRA = DOP
- Formaldehyde / TRA = Formaldehyde
- Unknown / further study required
- Air Supplied Air Supplied respirators required

First Step: Hazards Concept

- Need to develop a standard immediately
- Addressing the initial vulnerability assessment list of chemical agent hazards (151) to develop data to confirm the Agent Families and Test Representative Agent.(TRA) will time consuming
- Chemical Agent Hazard List has not been finalized by the NIOSH Toxicologists, list could grow to >200 chemicals





Test Representative Agents

- **Ammonia** NIOSH (42 CFR Part 84) & EN (141)
- Carbon Monoxide NIOSH
- Carbon Tetrachloride Organic Vapor NIOSH
- Cyanogen Chloride Military (EA-DTL-1704A)
- Cyclohexane Organic Vapor EN
- Formaldehyde NIOSH
- Hydrogen Cyanide NIOSH, EN & Military
- Hydrogen Sulfide NIOSH & EN
- Nitrogen Dioxide NIOSH & EN
- Phosgene Military
- **Phosphine** NIOSH
- Sulfur Dioxide NIOSH & EN
- **DOP** NIOSH (P-100 Particulate Test)





First Step Hazard Concept: Protection Summary

- Testing of the TRA should provide protection for the following Chemical agents (108) on the NIOSH CWA /TIC Threat List (151), plus Particulate Biological agents (13) & Particulate Radiological/Nuclear agents (16):
 - **Organic Vapor Family**, with vapor pressures less than those of Carbon Tetrachloride and Cyclohexane (TRA). By using this logic would including GB and HD.
 - **27 Acid Gas Family**, TRA's = Cyanogen Chloride, Phosgene, Hydrogen Cyanide, Hydrogen Sulfide, and Sulfur Dioxide.
 - **Base Gas Family,** TRA = Ammonia.
 - 4 **Hydride Family,** TRA = Phosphine.
 - 6 Nitrogen Oxide Family, TRA = Nitrogen Dioxide.
 - 1 Formaldehyde Family, only member of family and is TRC.
 - 3 Carbon Monoxide Family, TRA = Carbon Monoxide
 - **Particulate Family**, TRA = DOP





Organic Va _l	Acid Gas Family			
acetone cyanohydrin	mustard, lewisite mixture	boron tribromide		
acrylonitrile	nitrogen mustard HN-1	boron trichloride		
allyl alcohol	nitrogen mustard HN-2	boron trifluoride		
allyl chlorocarbonate	nitrogen mustard HN-3	bromine		
bromoacetone	n-propyl chloroformate	bromine chloride		
bromobenzylcyanide	o-chlorobenzylidene malononitrile	bromine trifluoride		
chloroacetone	parathion	carbonyl fluoride		
chloroacetonitrile	perchloromethyl mercaptan	chlorine		
chloroacetophenone	phenyl mercapatan	chlorine pentafluoride		
chloroacetophenone / chloroform / chloropicrin (23/38.4/38.4)	phenylcarbylamine chloride	chlorine trifluoride		
chloroacetyl chloride	phenyldichloroarsine	chlorosulfonic acid		
chloropicrin	phosgene oximedichloroforoxime	cyanogen chloride		
chloropivaloyl chloride	sarin	dichlorosilane		
crotonaldehyde	sec-butyl chloroformate	ethyl phosphonous dichloride		
cyclohexyl methyphosphonate	soman	fluorine		
dibenz-(b,f)-1,4-oxazepine	tabun	hydrogen bromide		
diketene	tert-octyl mercapatan	hydrogen chloride		
dimethyl sulfate	tetraethyl dithiopyrophosphate	hydrogen cyanide		
diphenylchloroarsine	tetraethyl lead	hydrogen fluoride		
diphenylcyanoarsine	tetramethyl lead	hydrogen iodide		
distilled mustard	tetranitromethane	hydrogen sulfide		
ethyl chloroformate	trimethoxysilane	phosgene		
ethyl chlorothioformate	trimethylacetyl chloride	phosphorus trichloride		
ethyl phosphorodichloridate	V-Sub X	silicon tetrafluoride		





Base Gas Family	Nitrogen Oxide Family	Hydride Family	Formaldehyde Family	Carbon Monoxide Family	Particulate Family
allyl amine	nitric acid	arsine	formaldehyde	carbon monoxide	adamsite
ammonia	nitric acid, fuming	germane		iron pentacarbonyl*	sodium azide
dimethyl hydrazine, 1,2	nitric oxide	phosphine		nickel carbonyl*	sodium fluoroacetate
methyl hydrazine	nitrogen dioxide	stibine			+
	nitrogen tetraoxide				(13) Biologicals Agents
	nitrogen trioxide				(16) Radiological / Nuclear agents
					- Tablea agonto








Particulate Biological Agents (USAMRIID and/or CDC Lists)

- Anthrax
- Brucellosis
- Glanders
- Pneumonic Plague
- Tularemia
- Q Fever
- Smallpox
- Venezuelan Equine Encephalitis

- Viral Hemorrhagic Fevers
- T-2 Mycotoxins
- Botulism
- Ricin
- Staphylococcus Enterotoxin B







Particulate Radiological\Nuclear Agents


(USAMRIID and/or DOE Lists)

- Hydrogen 3
- Carbon 14
- Phosphorous 32
- Cobalt 60
- Nickel 63
- Strontium 90
- Technetium 99m
- Iodine 131

- Cesium 137
- Promethium 147
- Thallium 204
- Radium 226
- Thorium 232
- Uranium 235 & 238
- Plutonium 239
- Americium 241







Respiratory Protection

The Department of Energy recommends full-face respiratory protection for entrance into a radiologically contaminated area. DOE/RW-0362 SR Office of Civilian Radiological Waste Management

The respiratory threat can be eliminated by employing High Efficiency Particulate Air (HEPA) or P100 filters. *Domestic Preparedness Technician-HAZMAT Course*

The U.S. Army specifies a M40 full-face gas mask with a two-element canister containing (HEPA) filtration and ASZM-T Cooperite carbon filtration media.





Systems Based Permeation & Penetration Challenges

- Respirator systems, unlike canisters, will be challenged with chemical warfare agents.
- Challenges are based on the Most Creditable Event indoor scenarios
- Sarin (GB) vapor challenge = 2000 mg/m³
- Distilled Sulfur Mustard (HD) vapor challenge = 300 mg/m³, liquid droplet challenge approximately 10 g/m³
- Test protocols will be consistent with use scenarios





